



IFW

Docket No. 246598US0
IN RE APPLICATION OF: Tetsushi KAWAMURA, et al.
SERIAL NO: 10/735,692
FILED: December 16, 2003
FOR: PRESSURE SENSOR

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

Transmitted herewith is an Amendment (7 pp.) in the above-identified application.

- ☒ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☐ Additional documents filed herewith:

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	7	MINUS	20	0	x \$50 =	\$0.00
INDEPENDENT	2	MINUS	3	0	x \$200 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$360 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of \$0.00 is attached.
- ☐ Credit card payment form is attached to cover the fees in the amount of \$0.00
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check or credit card payment is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.


OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman F. Oblon

Corwin P. Umbach, Ph.D.
Registration No. 40,211

Customer Number
22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/03)

DOCKET NO: 246598US0



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
TETSUSHI KAWAMURA, ET AL. : EXAMINER: ELLINGTON, ALANDRA
SERIAL NO: 10/735,692 :
FILED: DECEMBER 16, 2003 : GROUP ART UNIT: 2855
FOR: PRESSURE SENSOR :

AMENDMENT

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action dated November 2, 2004, please amend the application identified above as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.